



GRAND

LUXURY TOUCH

 www.grand-gulf.com  050 907 907 3



و من نحن

تأسست شركة الخير الوفير القابضة (جراند) لتكون إحدى الشركات الرائدة في مجال توزيع الأدوات الصحية بالجملة في المملكة العربية السعودية. نحن نؤمن بأن الجودة تبدأ من المصدر، لذلك اخترنا التعاون مع شركائنا الألمان لتقديم منتجات تحمل اسم جراند، حيث تجتمع التكنولوجيا، والدقة، والأناقة الأوروبية

رؤيتنا

أن نكون الخيار الأول لموردي مشاريع الأدوات الصحية في المملكة ومنطقة الخليج.

رسالتنا

تقديم منتجات صحية عالية الجودة بأسعار تنافسية وخدمة متميزة تبني الثقة مع عملائنا

قيمنا

الثقة والالتزام



خدمة عملاء متميزة



الجودة أولاً



الابتكار المستمر



الجودة الألمانية في كل تفصيل

نرحب بكم في شركة الخير الوفير القابضة (جراند)، المتخصصة في توزيع الأدوات الصحية بالجملة داخل المملكة العربية السعودية. نقدم منتجات ألمانية عالية الجودة تجمع بين التصميم العصري والمتانة، لتلبي احتياجات المشاريع السكنية والتجارية الكبرى. اكتشف مجموعتنا المتميزة من الخلطات، والأدوات الصحية، وإكسسوارات الحمامات المصممة لتدوم.

German Quality in Every Detail

Welcome to Al Khair Al Wafeer Holding (Grand)


A leading wholesaler of sanitary ware in Saudi Arabia

We offer premium German-made products that combine modern design with exceptional durability, serving residential and commercial projects across the Kingdom

Explore our exclusive range of mixers, sanitary fittings, and bathroom accessories built to last







GRAND SHOWER 1014

Standard Specification

- Food-grade metal alloy construction
- Top shower: 250 mm square design
- Hand shower: matching square style
- Riser rail: adjustable sliding bar
- Hose: 1.5 m durable PVC hose
- Cartridge Type: 35 mm ceramic cartridge
- Certified to SASO 2655/2019 (Saudi Standard)
- Water consumption:
 - Overhead shower: 9 l/min
 - Hand shower: 6 l/min
- Min. recommended pressure: 1.0 bar



Chrome



Matte Gold



Grey



GRAND SHOWER 1005

Standard Specification

- Food-grade metal alloy construction
- Top shower: 250 mm square design
- Hand shower: matching square style
- Riser rail: adjustable sliding bar
- Hose: 1.5 m durable PVC hose
- Cartridge Type: 35 mm ceramic cartridge
- Certified to SASO 2655/2019 (Saudi Standard)

Water consumption:

- Overhead shower: 9 l/min
- Hand shower: 6 l/min

Min. recommended pressure: 1.0 bar





Chrome



Matte Gold



Grey



GRAND SHOWER 1013




GRAND SHOWER 1012

Standard Specification

- Food-grade metal alloy construction
- Top shower: 250 mm square design
- Hand shower: matching square style
- Riser rail: adjustable sliding bar
- Hose: 1.5 m durable PVC hose
- Cartridge Type: 35 mm ceramic cartridge
- Certified to SASO 2655/2019 (Saudi Standard)

Water consumption:

- Overhead shower: 9 l/min
- Hand shower: 6 l/min
- Min. recommended pressure: 1.0 bar



GRAND SHOWER 1010

Standard Specification

Food-grade metal alloy construction

Top shower: 250 mm square design

Hand shower: matching square style

Riser rail: adjustable sliding bar

Hose: 1.5 m durable PVC hose

Cartridge Type: 35 mm ceramic cartridge

Certified to SASO 2655/2019 (Saudi Standard)

Water consumption:

• Overhead shower: 9 l/min

• Hand shower: 6 l/min

Min. recommended pressure: 1.0 bar




Matte Gold



Black



Grey



GRAND SHOWER 1004

Standard Specification

Standard Specification:

Food-grade metal alloy construction

Top shower: 250 mm square design

Hand shower: matching square style

Riser rail: adjustable sliding bar

Hose: 1.5 m durable PVC hose

Cartridge Type: 35 mm ceramic cartridge

Certified to SASO 2655/2019 (Saudi Standard)

Water consumption:

• Overhead shower: 9 l/min

• Hand shower: 6 l/min

Min. recommended pressure: 1.0 bar




Matte Gold



Black



Grey



GRAND SHOWER 2020

Standard Specification

Food-grade metal alloy construction

Top shower: 250 mm square design

Hand shower: matching square style

Riser rail: adjustable sliding bar

Hose: 1.5 m durable PVC hose

Cartridge Type: 35 mm ceramic cartridge

Certified to SASO 2655/2019 (Saudi Standard)

Water consumption:

- Overhead shower: 9 l/min

- Hand shower: 6 l/min

Min. recommended pressure: 1.0 bar





GRAND SHOWER 113A

Standard Specification

Food-grade metal alloy construction

Top shower: 250 mm square design

Hand shower: matching square style

Riser rail: adjustable sliding bar

Hose: 1.5 m durable PVC hose

Cartridge Type: 35 mm ceramic cartridge

Certified to SASO 2655/2019 (Saudi Standard)

Water consumption:

• Overhead shower: 9 l/min

• Hand shower: 6 l/min

Min. recommended pressure: 1.0 bar



GRAND SHOWER 4302C

Standard Specification

Food-grade metal alloy construction

Top shower: 250 mm square design

Hand shower: matching square style

Riser rail: adjustable sliding bar

Hose: 1.5 m durable PVC hose

Cartridge Type: 35 mm ceramic cartridge

Certified to SASO 2655/2019 (Saudi Standard)

Water consumption:

• Overhead shower: 9 l/min

• Hand shower: 6 l/min

Min. recommended pressure: 1.0 bar

GRAND SHOWER 1018

Standard Specification

Food-grade metal alloy construction

Top shower: 250 mm square design

Hand shower: matching square style

Riser rail: adjustable sliding bar

Hose: 1.5 m durable PVC hose

Cartridge Type: 35 mm ceramic cartridge

Certified to SASO 2655/2019

(Saudi Standard)

Water consumption:

- Overhead shower: 9 l/min

- Hand shower: 6 l/min

Min. recommended pressure: 1.0 bar



لأن الجودة تبدأ من التفاصيل

اختيارك لجراند يعني حصولك على منتجات تجمع بين الابتكار الأوروبي والموثوقية العالية، مع تنوع كبير في التصميم والتشطيبات التي ترتقي بمظهر حمامك وتضمن أداءً فائقاً لسنوات طويلة



مواد فاخرة ومعادن نقية

استخدام سبائك معدنية عالية الجودة وخراطيش سيراميكية دقيقة لضمان انسيابية الماء وثبات الحرارة لأطول فترة ممكنة.



جودة هندسية أوروبية عالية

تصميم ومعايير تصنيع مستوحاة من المواصفات الألمانية، لضمان أداء ثابت وعمر طويل مع مقاومة كاملة للصدأ والتآكل.



فخامة في التفاصيل والتشطيب

تشطيبات عالية اللمعة أو المطفية مقاومة للخدش والبصمات، مع دقة في خطوط التصميم تمنح مظهراً راقياً للحمام.



تنوع واسع في الأشكال

مجموعة كبيرة من التصميم العصرية والكلاسيكية لتناسب مختلف ديكورات الحمامات، مع ألوان متعددة



سهولة تركيب وصيانة منخفضة

تصاميم ذكية تسهل التركيب السريع، مع مكونات داخلية تتحمل الاستخدام اليومي وتقلل الحاجة للصيانة.



خيارات ووظائف متقدمة

مساطر دش قابلة للتعديل، رؤوس دش متعددة الأنماط، أنظمة خلط حراري دقيقة، ومرونة كاملة في التحكم بتدفق المياه.



BF001H

Standard Specification:

for cold or premixed water marking: blue/red

Food Grade Stainless Steel body Certified to SASO 2655/2019 (Saudi Standard)

Water consumption: 4.3 l/min / Cartridge Type: Ceramic 35 mm

Factory preset flow time: approx. 7 sec (adjustable) min.

recommended pressure: 1.0 bar



701A

Standard Specification:

for cold or premixed water marking: blue/red

Food Grade Stainless Steel body
Certified to SASO 2655/2019 (Saudi Standard)

Water consumption: 4.3 l/min Cartridge Type: Ceramic 35 mm

Factory preset flow time: approx. 7 sec (adjustable) min.

recommended pressure : 1.0 bar





GRAND BF001

Standard Specification

for cold or premixed water marking: blue/red

Food Grade Stainless Steel body Certified to SASO 2655/2019 (Saudi Standard)

Water consumption: 4.3 l/min / Cartridge Type: Ceramic 35 mm

Factory preset flow time: approx. 7 sec (adjustable)

min. recommended pressure: 1.0 bar



Matte Gold



Black



Grey



Chrome



Standard Specification:

for cold or premixed water

marking: blue/red

Food Grade Stainless Steel body

Certified to **SASO 2655/2019**


(Saudi Standard)


Water consumption: 4.3 l/min

Cartridge Type: Ceramic 35 mm

Factory preset flow time: approx. 7 sec
(adjustable)

min. recommended pressure: 1.0 bar





7502A

Standard Specification:

for cold or premixed water

marking: blue/red

Food Grade Stainless Steel body

Certified to SASO 2655/2019


(Saudi Standard)

Water consumption: 4.3 l/min

Cartridge Type: Ceramic 35 mm

Factory preset flow time: approx. 7 sec
(adjustable)

min. recommended pressure: 1.0 bar



103A

Standard Specification:

For cold or premixed water

marking: blue/red

Food Grade Stainless Steel body

Certified to SASO 2655/2019


(Saudi Standard)

Water consumption: 4.3 l/min

Cartridge Type: Ceramic 35 mm

Factory preset flow time: approx. 7 sec
(adjustable)

min. recommended pressure: 1.0 bar



901A

Standard Specification:

for cold or premixed water

marking: blue/red

Food Grade Stainless Steel body


Certified to SASO 2655/2019 (Saudi Standard)

Water consumption: 4.3 l/min

Cartridge Type: Ceramic 35 mm

Factory preset flow time: approx. 7 sec
(adjustable)


min. recommended pressure: 1.0 bar



2020A

Standard Specification:


for cold or premixed water
marking: blue/red
Food Grade Stainless Steel body
Certified to SASO 2655/2019
(Saudi Standard)
Water consumption: 4.3 l/min
Cartridge Type: Ceramic 35 mm
Factory preset flow time: approx. 7 sec
(adjustable)
min. recommended pressure: 1.0 bar



113A

Standard Specification:


for cold or premixed water
marking: blue/red
Food Grade Stainless Steel body
Certified to SASO 2655/2019
(Saudi Standard)
Water consumption: 4.3 l/min
Cartridge Type: Ceramic 35 mm
Factory preset flow time: approx. 7 sec
(adjustable)
min. recommended pressure: 1.0 bar



4301A

Standard Specification:

for cold or premixed water
marking: blue/red
Food Grade Stainless Steel body
Certified to SASO 2655/2019
(Saudi Standard)
Water consumption: 4.3 l/min
Cartridge Type: Ceramic 35 mm
Factory preset flow time: approx. 7 sec
(adjustable)
min. recommended pressure: 1.0 bar



AG002

Standard Specification:


Food-grade brass body with chrome plating
 1/2" × 1/2" standard size connection
 Ergonomic handle for smooth control
 Fitted with a high-quality brass valve core
 Anti-corrosion, anti-leakage design
 Heavy-duty construction for long-term use
 Certified to SASO 2655/2019 (Saudi Standard)
 Min. recommended pressure: 1.0 bar



AG003

Standard Specification:

Food-grade SS body with chrome plating
 1/2" × 1/2" standard size connection
 Ergonomic handle for smooth control
 Fitted with a high-quality brass valve core
 Anti-corrosion, anti-leakage design
 Heavy-duty construction for long-term use
 Certified to SASO 2655/2019 (Saudi Standard)
 Min. recommended pressure: 1.0 bar





AG005

Standard Specification

Food-grade brass body with chrome plating
 1/2" × 1/2" standard size connection
 Ergonomic handle for smooth control
 Fitted with a high-quality brass valve core
 Anti-corrosion, anti-leakage design
 Heavy-duty construction for long-term use
 Certified to SASO 2655/2019 (Saudi Standard)
 Min. recommended pressure: 1.0 bar

Golden




NO.:8625

Wall hung toilet


Size:510X370X325MM

P-trap: 180MM roughing-in





8541W
Wall Hung Toilet
Size: 570*340*345 MM
P-trap: 180mm Roughing in



8539W
Wall Hung Toilet
Size: 570*350*365 MM
P-trap: 180mm Roughing in

Standard Specification:

High-grade ABS plastic hand spray body
Hand spray bidet with press control trigger

Wall-mounted bracket included:


- 1.2 m reinforced hose:
 - Inner tube: EPDM
 - Outer layer: stainless steel braided
- Anti-leak, high-pressure resistant

Cartridge Type: 25 mm brass ceramic cartridge

Certified to **SASO 2655/2019**

(Saudi Standard)

Water consumption: 5.0 l/min



Chrome






Matte Gold





Black








Zinc alloy, chrome plated





Zinc alloy + glass cup, chrome plated





Zinc alloy base + stainless steel tube, chrome plated



Zinc alloy + glass cup, chrome plated



Zinc alloy base + stainless steel tube, chrome plated



Zinc alloy base + stainless steel tube, chrome plated



GRAND
LUXURY TOUCH

☎ 050 907 907 3

🌐 www.grand-gulf.com